PROVISION SECURITY PRODUCTS

2012 Catalogue



WELCOME...
To Our 2012 Catalogue

Each year we present to you a range of new leading edge surveillance solutions to ensure you can provide your customers with latest proven technology.

HD - HIGH DEFINITION RANGE

This year we have expanded our product range even further to also include the latest in HD (High Definition) security. We have introduced a new model IR Dome and Tube Camera, featuring the latest Sony Effio chip set which is now available in 700TV lines and a range of colours.

In order to help you save money and work more efficiently, Provision Security Products has taken over sole distributorship of the Quick Cap system. The Quick cap system features re-useable connectors and easy to use termination and stripping tools enabling you to terminate a coax in 15 seconds.

We have also expanded our video intercom range to include a new modern slim line Intercom unit system, ideal for new and existing homes , domestic and commercial installations.

CONSULTING SERVICE

With direct relationships with manufactures, Provision is able to customize products to suit a particular requirement. We are able to offer you specifically designed and specified system solutions to ensure you meet all your clients requirements.

OUR WEBSITE

The Provision website is a resourceful information site, featuring detailed specifications, manuals and brochures on our product range. We are taking another big step forward in 2012 to include video demonstartions on the site as well as access to live dvrs you can view and utilise during your client demonstrations. We will also feature latest prices, specials and products updates, making it easier for everyone to trade.

TRAINING AND SUPPORT

Customer training and after sales support is included as part of your purchase.

At Provision we pride ourselves on offering after sales support and building long term relationships with our clients. We offer inhouse training either one-on-one or for a group of your staff on all of our products which can be booked through one of our sale staff year round.

Over the phone product support is available at your request between the hours of 9:00am -5:00pm EST by phoning the Provision Head Office on (03) 9874 6785

HOW TO ORDER

One of our main prorities is to make your ordering as convenient as possible. We have a range of options to make your purchase experience with Provision Security Products a hassle free one. You can either visit our showroom located in Vermont, call us and have your order processed over the phone, or alternatively either email or fax your orders through.

OVER THE PHONE

Call us on (03) 98746785

FAX YOUR ORDERS

To (03) 98738716

EMAIL YOUR ORDERS

To: sales@provisioncctv.com.au

Thank you again for your support and we look forward to working with you in 2012
Regards,

The Team at Provision Security Products

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

PROVISION SECURITY PRODUCTS
2012 TRADE CATALOGUE

Contents

QUICK SELECTION GUIDE PRODUCT LIST	PAGE
SD & HD DVRS	1
HARD DRIVES	1
SD & HD IR TUBE CAMERAS	1
SD & HD IR DOME CAMERAS	1 & 4
IR DOME CAMERA BRACKETS	4
SD & HD DOME CAMERAS	4
MOBILE APPLICATION CAMERAS & DEVICES	4
SD & HD FULL BODY CAMERAS	8
LENSES	8
COVERT CAMERAS	8
SPEED DOMES	8
BRACKETS FOR SPEED DOMES	8
SPEED DOME ACCESSORIES	9
CCTV MONITORS	9
SPECIAL CCTV PRODUCTS	9
CCTV TEST INSTRUMENTS	7
UTP PRODUCTS	9
CONNECTORS	9-10
POWER PRODUCTS	10
CABLE	10
KVM DEVICES	12
SIGNAGE	12
DUMMY CAMERAS	12
CAMERA HOUSINGS	12
INTERCOM DEVICES	12
CONTROL DEVICES	14
VIDEO CONVERTERS & AMPLIFIERS	14
SECURITY DETECTORS	14
IMPORTANT NOTE, TERMS & CONDITIONS	16
PRODUCT BROCHURES	PAGE
ULTIMA PLUS SERIES DVRS	2
700TVL IR DOME CAMERAS	3
SUPER TUBE + IR CAMERA	5
ALPHA SERIES HD DVR AND CAMERA RANGE	6-7
QUICK CAP CONNECTORS	11
VIDEO INTERCOM	13
CAM POWER SUPPLY	15

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

SD & HD DVRS

Code

ALPHA 4 HDDVR NEW
950-001

4 CHANNEL, HS-SDI, 120/1080P 120 REAL TIME FULL HD 1080p LIVE VIEW - RECORDING AND PLAYBACK, INCLUDING DVD WRITER, IR REMOTE CONTROL, CMS SOFTWARE

ALPHA 8 HDDVR NEW
950-002

8 CHANNEL, HS-SDI, 120/1080P, 60 REAL TIME FULL HD 720p LIVE VIEW - RECORDING AND PLAYBACK, INCLUDING DVD WRITER, IR REMOTE CONTROL, CMS SOFTWARE

ALPHA 16 HDDVR NEW
950-000

16 CHANNEL, HS-SDI, 240/1080P 120 REAL TIME FULL HD 720p LIVE VIEW - RECORDING AND PLAYBACK, INCLUDING DVD WRITER, IR REMOTE CONTROL, CMS SOFTWARE

ULTIMA 8 PLUS
800-006

8 CHANNEL, H.264, 200FPS RECORDING CIF, 200FPS LIVE, MAIN VGA & COMPOSITE, 3 SPOT, JOG SHUTTLE, LOOPING, 8 AUDIO, DVD-RW, LAN, IR REMOTE & CMS

ULTIMA 16 PLUS
800-011

16 CHANNEL, H.264, 400FPS RECORDING CIF, 400FPS LIVE, MAIN VGA & COMPOSITE, 3 SPOT, JOG SHUTTLE, LOOPING, 8 AUDIO, DVD-RW, LAN, IR REMOTE & CMS

ULTIMA 4
800-003

4 CHANNEL, H.264, 100FPS RECORDING CIF, 100FPS LIVE, MAIN VGA & COMPOSITE, 1 SPOT, DVD-RW, LAN, IR REMOTE & CMS

ULTIMA ECO 4 NEW
800-007

4 CHANNEL, H.264, 100FPS RECORDING CIF, 200FPS LIVE, MAIN VGA & COMPOSITE, 1 AUDIO OUTPUT, USB OUTPUT, LAN, IR REMOTE & CMS

ULTIMA ECO 8 NEW
800-008

8 CHANNEL, H.264, 100FPS RECORDING CIF, 200FPS LIVE, MAIN VGA & COMPOSITE, 1 AUDIO OUTPUT, USB OUTPUT, LAN, IR REMOTE & CMS

ULTIMA ECO 16 NEW
800-009

16 CHANNEL, H.264, 100FPS RECORDING CIF, 200FPS LIVE, MAIN VGA & COMPOSITE, 1 AUDIO OUTPUT, USB OUTPUT, LAN, IR REMOTE & CMS

ROAD HORNET
985-007

4 CHANNEL MOBILE DVR H.264, 50FPS RECORDING D1, 100FPS LIVE, MAIN VGA & COMPOSITE, LAN, GPS TRACK, SPEED, CMS

HARD DRIVES

HDXXXSS (XXX DENOTES SIZE)
950-xxx

CAPACITIES:500GB,1TB, 2TB, SATAII 3GB/sec, AV TYPE, DESIGNED FOR 24HOUR REC.

SD & HD IR TUBE CAMERAS

Code

ALPHA HDTIR1080P NEW
950-009

IR TUBE BODY CAMERA, 1080p FULL HIGH DEFINITION, 1/2.8" CMOS SENSOR, DAY/ NIGHT, 2.1 MEGA PIXEL, 1080p/30fps, 720p/60fps, 12VDC, Lens not included.

CTISUPER + NEW
250-045

1/3" SONY EX-VIEW HAD II CCD 700TVL, 40-50m IR DISTANCE, 3.6-16mm VARIFOCAL LENS, DC12V, DIE CAST ALUMINIUM CASE, IP67 CONSTRUCTION, FULLY CABLE MANAGED

CTINXTCHIP6003.6-16
250-009

SONY SUPER HAD II CCD, 600TVL, 3.6-16mm VARIFOCAL LENS, 40m IR RANGE, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION

IR30 IR60 IR100
IR 30 960-002
IR 60 960-003
IR 100 960-001

INFRARED ILLUMINATOR, 30m, 60m, and 100m. 850nm,CONSTANT CURRENT IR LEDs, DIE CAST ALUMINIUM IP66 CONSTRUCTION DC12V

REGO CAM
250-015

1/3" SONY SUPER HAD II CCD 700TVL, 40-50m IR DISTANCE, 5-50mm VARIFOCAL LENS, DC12V, DIE CAST ALUMINIUM CASE, IP66 CONSTRUCTION, FULLY CABLE MANAGED, WHITE LIGHT LEDS.

CTI4804
250-046

SONY SUPER HAD II CCD, 480TVL, 4mm & 6mm FIXED LENS, 8m IR RANGE, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION

SD & HD IR DOME CAMERAS

ALPHA-HDDIR1080P NEW
950-005

1080p FULL HIGH DEFINITION IR DOME, 1/2.8" CMOS SENSOR, DAY/ NIGHT 2.1 MEGA PIXEL, 1080p/30fps, 720p/60fps, 12VDC, 2.8-12mm LENS

CBEFFIO2.8-11GR/WH NEW DUAL VOLTAGE
100-058 100-059

SONY Effio CCD, 700TVL, 2.8mm~11mm VARIFOCAL LENS, 25m IR RANGE, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION, FULLY CABLE MANAGED **AVAILABLE IN GREY & WHITE**

CBWDR2.8-11GR/WH
100-056 100-055

1/3" SONY SUPER HAD II CCD, WIDE DYNAMIC,600TVL, 2.8mm~11mm VARIFOCAL LENS, 25m IR RANGE, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION
AVAILABLE IN GREY & WHITE

ULTIMA PLUS Series DVR

SPECIFICATIONS	ULTIMA 4+	ULTIMA 8+	ULTIMA 16+
Compression	H.264 (Main Profile)		
Signal Format	PAL or NTSC (Auto Selected)		
Video Inputs	Composite 4 BNC Inputs Loop	Composite 8 BNC Inputs Loop	Composite 16 BNC Inputs Loop
Video Output	Main Composite: 1 (1Vp-p, 75Ohm)		
VGA Output	Main VGA 1280 X 1024		
Spot Output	Spot Composite: 3 (1Vp-p, 75Ohm)		
Sequencing	Yes		
Max Recording Rate at CIF	100 FPS	200 FPS	400 FPS
Max Recording Rate at H-D1	50 FPS	100 FPS	200 FPS
Max Recording Rate at D1	25 FPS	50 FPS	100 FPS
Video Stream	Dual		Selectable*
Audio Input	4 X In RCA Jack	8 X In RCA Jack	16 X In RCA Jack
Audio Output	1 X Out RCA Jack		
Ethernet	10/100 RJ45 Jack		
PTZ Control	RS485/422 Serial Port x 1 (Terminal Block)		
ATM/POS	Up to 4 Channels		
Alarm Inputs	4 (TTL) Programmable as NO/NC		
Alarm Outputs	4 (TTL) Programmable as NO/NC		
USB Ports	4 x USB 2.0 (2 x Front Panel, 2 x Rear Panel)		
Recording Quality	Standard / High / Super		
Network Transmission Quality	Standard 1, 2, 3 & 4 / High 1, 2 & 3 / Super 1, 2 & 3		
Network Bandwidth Control	54kbps ~ Unlimited		
Recording Modes	Schedule / Alarm/ Motion / Emergency		
Pre Alarm Recording	Up to 3 Hours / User Programmable		
Motion Detection	Yes 22 x 15 Matrix		
Playback Speed	x 1, x 2, x 4, x 8, x 16, x 32, x 64, Extreme		
Archive File Format	EXE or AVI (Video Clip) / JPEG Still Image		
NTP Server	Yes		
GMT Time Zone	Yes		
Auto DST	Yes		
Multi Language Support	English (German, Spanish, Russian, Japanese, Danish, Czech)		
Operating System	Embedded Linux		
OS Firmware	Linux OS on Flash memory		
Emergency Re-cord Key	Yes		
Primary Storage	SATA Hard Drives x 4		
Clip Copy Storage	Built In DVD-RW, USB HDD, USB Memory Stick		
Dimensions	350mm x 65mm x 380mm		
Operating Temperature	5^0 C ~ 45^0C		
Operating Humidity	0% ~ 90% Non Condensing		
Power	40W Without HDDs		
Agency Approval	FCC / CE		

ACCESSORIES INCLUDED
FULL FUNCTION IR REMOTE CONTROL
CMS DISC AND COMPREHENSIVE USER MANUAL
19" RACK MOUNT BRACKETS

CMS SCREEN SHOTS

700TVL IR DOME CAMERA SERIES III

Now Available in WIDE DYNAMIC & DUAL VOLTAGE

Model	CBNXTCHIP2.8-11GR/BE	Wide Dynamic	CBEFFIO2.8-11DV
Image sensor / DSP	1/3" NEXT CHIP	1/3" SONY Super HAD II CCD	1/3" SONY Effio CCD Dual Voltage
Signal system	PAL		
Pixels	795(H) x 596(V)		
Effective Pixels	752(H) x 582(V)		
Resolution	Colour : 600TV lines (Min.), B/W : 650TV lines (Min.)		Colour : 700TV lines
Varifocal Range	f2.8mm~11mm		
SSNR	AUTO		
White balance	ATW(1800°K ~ 10,500°K)		
Scan system	2 : 1 Interlace		
Sync system	Internal		
Minimum illumination	Colour 0.3lux, Monochrome 0Lux (IR on)		
Electronic shutter	Auto/Manual(1/50sec ~1/120,000sec)		
S/N ratio	≥52dB		
Day & Night	Colour/B&W/Auto		
Illumination	5mm LED x 36 Pcs 850nm - Wide Dispersion		
IR distance	25m		
Connections	Polarity Marked Screw Terminal Jack / Standard BNC		
Power requirements	DC12V @ 450mA(Max)		
Construction	Die cast anodized aluminium, IP66		
Body Colour	Beige Or Grey		
Dimensions	94mm Dia X 64mm L		

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

SD & HD IR DOME CAMERAS

Code

CBNXTCHIP2.8-11GR/BE

100-054 100-053

1/3" SONY SUPER CCD NEXTCHIP DSP, 600TVL, 2.8mm~11mm VARIFOCAL LENS LENS, 25m IR RANGE, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION
AVAILABLE IN GREY & WHITE

CBIRNXTCHIP6002.8GR/BE

100-052 100-051

1/3" SONY SUPER CCD NEXTCHIP DSP, 600TVL, 2.8mm LENS, 10m IR RANGE, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION **AVAILABLE IN GREY & WHITE**

IR DOME BRACKETS

350-006

WALL

350-008

PENDANT

350-028

CAMERA BASE

ALSO AVAILABLE IN WHITE

SD & HD DOME CAMERAS

CDWDR540

550-008

WIDE DYNAMIC RANGE, ORCA PIXIM CCD & DSP, 550TVL, 2.9~10mm VARIFOCAL LENS, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION

ALPHA-HDD1080P NEW

950-003

DOME BODY CAMERA, 1080p FULL HIGH DEFINITION, 1/2.5" CMOS SENSOR, DAY/NIGHT, 1.3 MEGA PIXEL, 720p/60fps, 12VDC, 2.8-9mm

ALPHA-HDCNR1080P NEW

950-011

VANDAL RESISTANT CORNER MOUNT CAMERA, 1080p HIGH DEFINITION, 1/3" CMOS SENSOR, DAY/NIGHT, 1.3 MEGA PIXEL, 720p/60fps, 12VDC, 2.8-9mm

MOBILE APPLICATION CAMERAS & DEVICES

TRANSCAM 1

280-000

1/3" SONY SUPER HAD CCD & DSP, 480TVL, 2.6mm FIXED LENS, 0.05LUX, 0LUX IR ON, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP67 CONSTRUCTION

CARAVAN KIT

380-001

DIY DUAL CAMERA REVERSING KIT, SUITABLE FOR BOATS, CARAVANS AND TRAILER APPLICATIONS. KIT INCLUDES: 7" MONITOR THAT CLIPS ONTO EXISTING MIRROR, DAY/NIGHT REVERSING CAMERA TO VIEW BACK OF VEHICLE, TERMINATED CABLES FOR EASY INSTALL, WEATHERPROOF CONNECTIONS TO WITHSTAND EXTREME WEATHER CONDITIONS

Code

TRANSCAM 2W

280-001

1/3" SONY SUPER HAD CCD & DSP, 540TVL, 2.5mm FIXED LENS, 0.05LUX, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION

TRANSCAM 2

280-003

1/3" SONY SUPER HADII CCD & DSP, 540TVL, 2.9mm FIXED LENS, 0.05LUX, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION.

TRANSCAM 3 - AUDIO

280-006

1/3" SONY SUPER HADII CCD & DSP, 540TVL, 2.9mm FIXED LENS, 0.05LUX, 0LUX IR ON, FULLY CABLE MANAGED, DIE CAST ALUMINIUM IP66 CONSTRUCTION WITH AUDIO

TRANSCAM 4

280-007

1/3" WDR IMAGE SENSOR, 540TV LINES, 2.9mm, 4mm, 6mm & 12mm LENS, BUILT IN MICHROPHONE & IR LEDs, DIE CAST ALUMINIUM & POLYCARBONATE CONSTRUCTION VANDAL PROOF & IP44, 0.05LUX.

TRANSCAM 5

280-005

1/3" WDR IMAGE SENSOR, 540TV LINES, 2.9mm, 4mm, 6mm & 12mm LENS, BUILT IN IR LEDs, DIE CAST ALUMINIUM & POLYCARBONATE CONSTRUCTION VANDAL PROOF & IP66, 0.05LUX, CAN BE MOUNTED UP-SIDE DOWN OE RIGHT WAY UP, ON A LEFT OR RIGHT WALL.

TRANSFLUSH IR

280-010

REVERSING CAMERA, IMAGE SENSOR: OV 1/3" COLOUR CMOS, 628 X 582 PIXELS, 420 TV LINES, 2.8mm LENS, ANGLE OF VIEW 110 DEGREE, WATER-RESISTANT, SHOCKPROOF, 1.0LUX OLUX IR ON 2m, L28mm x D37mm.

TRANS SURFACE

280-002

REVERSING CAMERA, IMAGE SENSOR: OV 1/3" COLOUR CMOS, 628 X 582 PIXELS, 420 TV LINES, 2.8mm LENS, ANGLE OF VIEW 110 DEGREES, WATER-RESISTANT, 1.0LUX, L25mm X D35mm.

PLATE CAM

280-011

REVERSING CAMERA, IMAGE SENSOR: OV 1/3" COLOUR CMOS, 628 X 582 PIXELS, 380 TV LINES, 2.8mm LENS, ANGLE OF VIEW 110 DEGREES, WATER-RESISTANT, 1.0LUX, L25mm X D35mm.

REVERSING MIRROR

420-001

7" LCD REARVIEW MIRROR WITH TOUCH SCREEN, ASPECT RATIO: 16:9, RESOLUTION: 480 X 234 PIXELS, DUAL INPUTS, 260MM X 106MM X 30MM, VOLTAGE 12-16V DC, INCLUDES ALL CABLING.

REVERSING CAMERA ACCESSORIES

ADDITIONAL CARAVAN KIT CABLES AND CONNECTIONS

SUPER TUBE + IR CAMERA

- New Cree LEDs - Auto Intensity - Even Spread IR
- Super Wide Dynamic And Eclipser Function
- High Resolution 700TVL Sony CCD/DSP Effio-E
- Focal Latitude 3.6mm-16mm
- Day/Night 40m IR Range
- Vandal Resistant Design IP66 Construction
- Cable Managed Universal Bracket

HD cctv Distributor

ALPHA SERIES
HIGH DEFINITION H.264 DVRS

DELIVERS 1080P HD VIDEO OVER EXISTING COAX CABLE

PART OF THE α DOMINUS RANGE

THE PROVISION ALPHA SERIES H.264 HD-SDI DVR ARE THE IDEAL SOLUTION FOR MONITORING SPECIFIC ENVIRONMENTS WHERE EVERY DETAIL IS IMPORTANT (FACIAL RECOGNITION, LICENSE PLATE RECOGNITION, OBJECT RECOGNITION). THIS LATEST TECHNOLOGY SUPPORTS 720P REAL-TIME RECORDING, TRUE 1080P RECORDING AND REAL-TIME 1080P VIDEO DISPLAY.

COMPATIBLE WITH PROVISION HD-SDI CAMERA SERIES, THE ALPHA SERIES H.264 PROVIDES QUALITY THAT IS 6 TIMES BETTER COMPARED WITH A STANDARD MODEL (PAL, NTSC) GIVING SPECTACULAR RESULTS

- EMBEDDED LINUX SYSTEM
- 1080P(1920 X 1080) LIVE -RECORDING -PLAYBACK
- 30FPS - 60 FPS PER CHANNEL RECORDING
- HDMI & VGA OUTPUTS 1920 X 1080 RESOLUTION
- H.264 COMPRESSION
- UP TO 4CH HD-SDI VIDEO INPUTS
- UP TO 1080P RECORDING
- VGA & HDMI 1080P DISPLAY OUTPUT
- TRANSMIT HD-SDI UP TO 150M OVER COAXIAL CABLE
- SUPPORTS UP TO 1 INTERNAL HARD DRIVES
- 1 CH AUDIO RECORDING
- PENTAPLEX OPERATION
- POS FUNCTION FOR TRANSACTION MONITORING
- CMS SOFTWARE, USB MOUSE, IR REMOTE CONTROL & USER MANUAL INCLUDED
- REMOTE VIEWING SOFTWARE FOR PC &APPLE MAC
- 3G MOBILE VIEWER FOR IPHONE, IPAD, & ANY WINDOWS BASED MOBILE PHONE

Full HD 1080p

Image Resolution Comparison Between High Definition and Standard Definition

FULL HD 1080p, 1920 X 1080 | HD 720p, 1280 X 720 | SD D1 720x576 | SD CIF, 352x288 (PAL)

DVR Specifications	Alpha-4 HDDVR	Alpha-8 HDDVR	Alpha-16 HDDVR
Compression	H.264 Main Profile		
Signal Format	HD - 1080p, 1080i, 720p		
Recording Rate	120FPS @ 720p	120 FPS @ 720p	240 FPS @ 720p
	120FPS @ 1080p	60 FPS @ 1080p	120 FPS @ 1080p
Video Inputs	4 / 8 / 16 HD-SDI Inputs (1080p, 1080i or720p)		
Video Output	1 VGA / 1 HDMI (Max. 1920 x 1080p, Various Resolutions)		
Dual Stream	Selectable		
Audio Compression	ADPCM (16 Bit)		
Audio Input - Output	4 / 8 / 16 Inputs - 1 Output (RCA)		
Ethernet	10 / 100 / 1000 Mbps Ethernet (RJ-45)		
PTZ Control	RS-485/422 Terminal Block		
Text Insertion (POS)	4		
Alarm Input / Output	4 / 8 / 16 (TTL) Programmable as NC/NO		
USB Port	4		
Control Device	Keypad, Mouse, Keyboard Controller, IR Remote Control		
Recording Quality	Super / High / Standard		
Recording Mode	Schedule / Alarm / Motion / Emergency		
Pre-Alarm Recording	Up to 3 Hours / User Programmable		
Motion Detection	Yes (Matrix 22 x 15)		
Playback Speed	x1, x2, x4, x8, x16, x32, x64, Extreme		
Archive File Format	EXE (Video Clip) / JPEG (Still Image)		
Auto DST / NTP Server / GMT Time Zone	Yes		
3G Communication	iPhone / iPad / Android / Blackberry / Symbian / MS Mobile		
Operating System	Embedded Linux		
Primary Storage	SATA HDD (Up to 4+1)		
Clip Copy Storage	Built-in Internal DVD-RW, Memory Stick		
Dimension(WxHxD)	430mm x 88mm x 380mm		
Operating Temperature & Humidity	5°C~40°C / 41°F~104°F, 0% ~ 90%		
Power & Consumption	110~240VAC, Free Voltage 12VDC, 6.67A / Max. 50W		
*Design and specifications are subject to change without notice.			

RECOMMENDED PRODUCTS

1080p/720p Varifocal Dome

1080p/720p Infrared Varifocal Dome

1080p/720p Infrared Varifocal Tube

1080p/720p Full Body

1080p/720p Speed Dome

HD cctv Distributor

Full HD 1080p

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

SD & HD FULL BODY CAMERAS

Code

900-002

CFWDR540

WIDE DYNAMIC RANGE, ORCA PIXIM CCD & DSP, 550TVL,OSD, 0.08LUX, DIGITAL SLOW SHUTTER, DIE CAST ALUMINIUM CONSTRUCTION, LENS NOT INCLUDED

950-007

ALPHA-HDFB1080P NEW

FULL BODY CAMERA, 1080p FULL HIGH DEFINITION, 1/2.8" CMOS SENSOR, DAY/NIGHT, 2.1MEGA PIXEL, 1080p/30fps, 720p/60fps 12VDC, **LENS NOT INCLUDED**

950-008

ALPHA-HDFB720P NEW

FULL BODY CAMERA, 720p HIGH DEFINITION, 1/3" CMOS SENSOR, DAY/NIGHT, 1.3MEGA PIXEL, 720p/60fps, 12VDC
LENS NOT INCLUDED

LENSES

980-008

L1634D

1/3", 1.6mm~3.4mm VARIFOCAL LENS, f1.2~f32, DC IRIS,183°~90° ANGLE OF VIEW, METAL CASE, 98g.

980-009

L2812D

1/3", 2.8mm~12mm VARIFOCAL LENS, f1.4~f32, DC IRIS,134°~32° ANGLE OF VIEW, METAL CASE, 120g.

980-010

L3080D

1/3", 3mm~8mm VARIFOCAL LENS, f1.4~f32, DC IRIS, 118°~44° ANGLE OF VIEW, METAL CASE, 100g.

980-011

L50500D

1/3", 5mm~50mm VARIFOCAL LENS, f1.2~f32, DC IRIS, 60°~7.5° ANGLE OF VIEW, METAL CASE, 135g.

980-012

L558250D

1/3", 5mm~82.5mm VARIFOCAL LENS, f1.2~f32, DC IRIS, 65°~4.6° ANGLE OF VIEW, METAL CASE, 135g.

COVERT CAMERAS

450-005

PIRCAM

SONY 1/4", SUPER HAD CCD, 480TVL, 2.9mm LENS, 0.05 LUX, WITH PIR FUNCTION, 12VDC, 150mA.

450-007

SMOKECAM

SONY 1/4", SUPER HAD CCD, 420TVL, 2.9mm LENS, 0.05 LUX, WITH PIR FUNCTION, 12VDC, 90mA.

450-002

CT420

PIN HOLE STYLE, SONY 1/4", SUPER HAD CCD, 420TVL, 2.5mm LENS, 0.05 LUX, 12VDC, 70mA.

450-006

CST300

PHILLIPS HEAD SCREW STYLE, SONY 1/4", SUPER HAD CCD, 420TVL, 2.5mm LENS, 0.05 LUX, 12VDC, 70mA.

Code

450-005

CB921

BUTTON STYLE, SONY 1/4", SUPER HAD CCD, 420TVL, 2.5mm LENS, 0.05 LUX, 12VDC, 70mA.

450-003

CP380

MINI TUBE STYLE, SONY 1/4", SUPER HAD CCD, 420TVL, 3.6mm LENS, 0.05 LUX, 12VDC, 90mA.

450-004

CS350

STEM STYLE, SONY 1/4", SUPER HAD CCD, 420TVL, 3.6mm LENS, 0.05 LUX, 12VDC, 90mA.

450-001

CD777

DOWNLIGHT STYLE, SONY 1/4", SUPER HAD CCD, 420TVL, 3.6mm LENS, 0.05 LUX, - 0 LUX IR ON, IR RANGE 3m, 12VDC, 150mA.

SPEED DOMES

460-007

CPTZMINITRACK NEW

MINI TRACKING PTZ CAMERA, BUILT-IN TRACKING MODULE, 1/3" SONY EXVIEW HAD CCD/DSP, 540TVL, 10 X OPTICAL + 10 X DIGITAL ZOOM, 360° ROTATION, 128 PRESETS, 3 PATTERNS, 6 GROUPS, MASKING, OSD MENU, 12VDC 1A, OUTDOOR MODEL WITH WALL BRACKET

460-004

CPTZMINI3

1/3" SONY EXVIEW HAD CCD/DSP, 540TVL, 10 X OPTICAL + 10 X DIGITAL ZOOM, 360° ROTATION, 360°/SEC, 128 PRESETS, 3 PATTERNS, 6 GROUPS, MASKING, OSD MENU, 12VDC 1A, OUTDOOR MODEL.

460-001

CSDPTZ360480 NEW

MOTION TRACKING, SPEED DOME CAMERA, 1/4" SONY EXVIEW HAD CCD, 480TVL, DAY/NIGHT IR CUT FLITER, 36X OPTICAL ZOOM, 360° ROTATION , 128 PRESETS, 3 PATTERNS, 6 GROUPS, MASKING, AUTO PARKING, AUTO PROTOCOL, OSD MENU, 24VAC 2A, OUTDOOR MODEL.

950-015

ALPHA-HDPTZ1080P NEW

HD SDI PTZ CAMERA, 1/2.8" 2.2 MEGA PIXEL PROGRESSIVE SCAN CMOS, 1080p, 1920 X 1080, 2.2 MEGA PIXEL RESOLUTION, 25fps, 30fps & 60fps SELECTABLE, 20 X OPTICAL ZOOM DAY/NIGHT, 360 DEGREE ROTATION, WIDE DYNAMIC FUNCTION, FULL OSD CONTROL, RS485 CONTROL DUAL VOLTAGE 12VDC/24VAC

BRACKETS FOR SPEED DOMES

450-006

CEILING

FLANGE

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail:sales@provisioncctv.com.au, www.provisioncctv.com.au

SPEED DOME ACCESSORIES

Code

SDACONAN
PTZ PROGRAMMER CONTROLLER, 3 AXIS JOYSTICK, RS485 & RS232, MULTI PROTOCOL SUPPORT, BLUE LCD DISPLAY, 240VAC 800mA MAINS POWERED.

440-002

PTZCNR
PTZ CAMERA CORNER MOUNT BRACKET.

350-001

PTZPOL
PTZ CAMERA POLE MOUNT BRACKET.

350-003

PTZFLN
PTZ CAMERA FLANGE FOR DROPPER POLE, BEIGE POWDER COATED STEEL.

440-000

PTZDRP
PTZ CAMERA DROPPER POLE, BEIGE POWDER COATED STEEL, LENGTHS - 300mm, 600mm, 1.2m, 2m, 3m, 4m & 6m.

600mm

440-001

CCTV MONITORS

GENERIC VGA
LEADING BRANDS, SIZES 17", 19", 20", 22", 24" & 32", INPUTS VGA, DVI, S VIDEO, COMPOSITE VIDEO & HDMI. VARIOUS RESOLUTIONS, CALL FOR SPECIFIC REQUIREMENTS. SUBJECT TO AVAILABILITY.

SPECIAL CCTV PRODUCTS

PSDVR500
1 CHANNEL DVR, AVI 25FPS RECORDING AT 640 X 480, 25FPS LIVE, RECORDS TO SD CARD UP TO 16GB, AUDIO, USB2.0 TO PC.

320-002

VSI
VIDEO SERIAL INTERFACE, OVERLAYS RS232 TEXT ON ANY COMPOSITE VIDEO CAMERA SIGNAL FROM CASH REGISTERS, ELECTRONIC SCALES, MONEY COUNTERS OR ANY RS232 SERIAL OUTPUT.

320-006

SMID
SHOW ME ID, VIDEO IDENTIFICATION SYSTEM, USED FOR RECORDING OF DRIVERS LICENSES, PROOF OF AGE CARDS, CREATES A IMAGE OVERLAY OVER AN EXISTING CCTV CAMERA, WORKS WITH ANY COMPOSITE VIDEO SYSTEM.

320-004

CCTV TEST INSTRUMENTS

Code

TEST MATE
2.4" LCD DISPLAY, CCTV FIELD TEST MONITOR, DIGITAL MULTI METER, PTZ CONTROLLER, PROTOCOL ANALYZER, TEST PATTERN GENERATOR, UTP CABLE TESTER AND OSD MENU.

220-002

UTP PRODUCTS

BPST300
TWISTED PAIR PASSIVE BALUN, TRANSMIT VIDEO OVER CAT5e, 300m COLOUR 330m B/W, DC~6MHz, 75 OHM, SCREW TERMINALS WITH PIG TAIL, PAIR PER BOX.

200-034

BPQC300
TWISTED PAIR PASSIVE BALUN, TRANSMIT VIDEO OVER CAT5e, 300m COLOUR 330m B/W, DC~6MHz, 75 OHM, ALLIGATOR CLIPS, PAIR PER BOX.

200-040

BPGLI225
TWISTED PAIR PASSIVE BALUN, TRANSMIT VIDEO OVER CAT5e, 300m COLOUR 330m B/W, DC~6MHz, 75 OHM, ALLIGATOR CLIPS WITH PIG TAIL, PAIR PER BOX.

200-032

HUM-VGLI
GROUND LOOP ISOLATOR WITH PIG TAILS, ONE UNIT PER BOX.

200-035

BATBC1200
TWISTED PAIR ACTIVE BALUN, TRANSMIT VIDEO OVER CAT5e, 1200m COLOUR, 12VDC POWER REQUIRED, LINE LENGTH AND SATURATION CONTROL, DC~6MHz, 75 OHM, SCREW TERMINALS, ONE UNIT PER BOX.

200-030

BAR1200
TWISTED PAIR ACTIVE BALUN, TRANSMIT VIDEO OVER CAT5e, 1200m COLOUR, 12VDC POWER REQUIRED, LINE LENGTH AND SATURATION CONTROL, DC~6MHz, 75 OHM, SCREW TERMINALS, ONE UNIT PER BOX.

200-042

CONNECTORS

B-111G/2PCS
RG59 BNC CRIMP, TWO PIECE, GOLD PLATED CENTRE CONTACT, NICKEL PLATED BODY WITH DELIN.

400-002

B-111A/2PCS
RG6 BNC CRIMP, TWO PIECE, GOLD PLATED CENTRE CONTACT, NICKEL PLATED BODY WITH DELRIN.

400-000

B-111G/3PCS
RG6 BNC CRIMP, TWO PIECE, GOLD PLATED CENTRE CONTACT, NICKEL PLATED BODY WITH DELRIN

400-011

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

CONNECTORS & QUICK CAPS

Code

QC-RCA FEMALE
QUICK CAP RCA CONNECTOR (FEMALE)

400-010

QCC-JOINER
QUICK CAP JOINER

400-022

QC-RCA MALE
QUICK CAP RCA CONNECTOR (MALE)

400-012

QC RF FEMALE
QUICK CAP RF FEMALE ANTENNA CONNECTOR

400-013

QC RF MALE
QUICK CAP RF MALE ANTENNA CONNECTOR

400-011

QCF
UNIVERSAL F CONNECTOR.

400-032

QCCTER
QUICK CAPS TERMINATOR TOOL WITH SEPARATOR. THIS NEW TOOL MAKES TERMINATION AND REMOVAL OF ALL QUICK CAP CONNECTORS SIMPLE

400-031

QCSTRIP
QUICK CAPS COAXIAL CABLE STRIPPER FOR USE WITH THE QUICK CAPS TERMINATION SYSTEM

400-033

QCBNC-MALE
BNC CONNECTOR, CAN BE USED ON RG58,RG59,RG6 DUAL QUAD SHIELD

400-014

QCC
QUICK CAP FOR EASY IDENTIFICATION OF CABLING

FULLL RANGE OF COLOURS AVAILABLE

POWER PRODUCTS

PSHORNET5VDC
5VDC 2.5A 12.5W, PLUG PACK STYLE POWER SUPPLY, INPUT 110~240VAC 5~50Hz, INDOOR USE ONLY.

100-115

WONDERCONNECT FEMALE
CAMERA POWER PLUG WITH SCREW TERMINALS.

400-037

WONDERCONNECT MALE
CAMERA POWER PLUG WITH SCREW TERMINALS.

400-038

PS12VDC2A4O
12VDC 2A 24W, PLUG PACK STYLE POWER SUPPLY WITH 4 X TERMINATED POWER LEADS, INPUT 110~240VAC 5~50Hz, INDOOR USE ONLY.

POWERS UP TO 2(TWO) CAMERAS

100-109

PSD123 & PSD125
220VAC TO 12VDC, 3A & 5A DESKTOP POWER ADAPTOR INDOOR USE ONLY.

100-117

PS1258 NEW
12VDC 5A 60W, LOCKABLE CABINET STYLE POWER SUPPLY, 8 FUSED OUTPUTS WITH SCREW TERMINALS, INPUT 110~240VAC 5~50Hz, INDOOR USE ONLY.

POWERS UP TO 8(EIGHT) CAMERAS

100-141

PS121016
12VDC 10A 120W, LOCKABLE CABINET STYLE POWER SUPPLY, 16 ELECTRONICALLY FUSED OUTPUTS WITH SCREW TERMINALS, INPUT 110~240VAC 5~50Hz, INDOOR USE ONLY.

POWERS UP TO 16(SIXTEEN) CAMERAS

100-145

UPS900
UNINTERUP TABLE POWER SUPPLY 900VA, LCD STATUS DISPLAY, MAINS FILTRATION, OVERLOAD PROTECTION, SURGE PROTECTION, USER REPLACEABLE BATTERY, 6.3Kg.

100-139

UPS1800
UNINTERUPTABLE POWER SUPPLY 1800VA, LCD STATUS DISPLAY, MAINS FILTRATION, OVERLOAD PROTECTION, SURGE PROTECTION, USER REPLACEABLE BATTERY, 9.3Kg.

100-133

CABLE

CABRG59
RG59 COAXIAL CABLE, SOLID COPPER CORE, 96 STRAND SHIELD, AUSTRALIAN STANDARD, 100m ROLL.

300-000

CABF824
FIGURE 8 POWER CABLE, SOLID COPPER CORE, 24/020, AUSTRALIAN STANDARD, 100m ROLL.

300-022

COMBO
COMBINED RG59 COAXIAL CABLE & FIGURE 8, SOLID COPPER CORE, 96 STRAND SHIELD, AUSTRALIAN STANDARD, 250m ROLL.

300-020

CABTER20
READY TERMINATED WITH BNCS/ POWER LEADS, COAXIAL & FIGURE 8 CABLE 20m.

300-010

CABCAT5
CATEGORY5e TWISTED PAIR CABLE, AUSTRALIAN STANDARD, 305m BOX.

300-006

QUICK CAP
TERMINATE A COAX IN UNDER 15 SECONDS

SMART FEATURES	COST AND TIME SAVING BENEFITS
East Installation	Uncomplicated, fast, secure and efficient termination
Quick cap and connctor are re-usable	Saving money and the environment from discarded costly connectors
Centre pin of connector is pre-terminated	Creates a perfect termination every time removing the risk of video loss commonly caused through poor termination or ill fitting centre pin
9 colour and coded Quick Caps	Valuable for easy identification of cable runs, groups or technicians
Re-termination is simple	Often re-termination is necessary to relocate a camera or tidying up cable runs. Removal and re-termination can be less than 10 seconds
The Quick cap system supports multiple cable types	Only two tools will terminate from RG59 mini cable through to RG6 Quad and all in between, and supporting BNC,RCA,F. There is no longer a need to carry multiple tools

HOW TO USE A QUICK CAP
1. Slide the quick cap on to cable
2. Insert the cable to the side hole of the Quick Stripper, about 1cm Holding the Quick Stripper tool in the palm of your hand, squeeze blades together and pull cable out cutting both sides of the outer sheath.
3. Expose centre dielectric by bearing back the sheath and shield
4. Expose the copper core, by using the last hole on the stripper tool. Insert centre dielectric flush with the body of the stripper tool, twist and press blades together. This will enable you to remove the dielectric, exposing the copper core.
5. Push the exposed copper core into the BNC - connector, slide the sheath and shield over the thread of the BNC-connector and slide the cap to the start of the BNC-connector
6. Compress the Quick Cap onto the connector using the Quick tool. Place or remove the supplied spacer according to the length of the connector.
7. To seperate the Quick Cap insert the grove of the metallic connector into the fork of the Quick Cap next to the separator. Remove the Quick Cap with the same action as terminating.





PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

KVM DEVICES

Code

KVM2PT
KVM TWO PORT SWITCH, SWITCHES 2 X DVRS OR PC DEVICES BETWEEN A COMMON KEYBOARD, MOUSE & VGA SCREEN.

490-010

KVM4PT
Kvm Four Port Switch, Switches 4 X Dvrs Or Pc Devices Between A Common Keyboard, Mouse & Vga Screen.

490-011

KVM8PT
KVM EIGHT PORT SWITCH, SWITCHES 8 X DVRS OR PC DEVICES BETWEEN A COMMON KEYBOARD, MOUSE & VGA SCREEN.

490-012

VGASW2
VGA SCREEN SWITCH TWO PORT, SWITCHES 2 X DVR OR PC DEVICES TO A COMMON VGA SCREEN, USEFUL FOR SHARING A COMMON VGA BETWEEN A DVR & PC.

490-030

VGASW4
VGA SCREEN SWITCH FOUR PORT, SWITCHES 4 X DVR OR PC DEVICES TO A COMMON VGA SCREEN.

490-031

VGASPLIT2
VGA SCREEN SPLITTER TWO PORT, USEFUL FOR ADDING A SECONDARY DUPLICATE VGA SCREEN FROM A COMMON DVR OR PC.

490-026

VGAEXTEND
SINGLE PORT VGA EXTENDER, FOR EXTENDING A VGA MONITOR OVER CAT5e UP TO 150m.

490-025

SIGNAGE

STI21-14SF/SB
WARNING SECURITY CAMERAS, SELF ADHESIVE STICKER, STICKY FRONT FOR ADHERING TO GLASS, SIZE 210mm X 140mm & 110mm X 110 mm MATERIAL HARD VINYL.

310-004

SIGCCTV50-50
SOLAR POWERED CCTV WARNING SIGN. SIZE 500mm X 500mm. MATERIAL HARD ACRYL.

310-003

SIG43-29 & SIG 60-45
LARGE WARNING SECURITY CAMERAS SIGN, NON ADHESIVE, SIZE 430mm X 290mm X 1.5mm, & 600mm X 450mm X 3mm MATERIAL HARD PLASTIC.

310-000
310-001

SIGCCTV12-12
CCTV WARNING SIGN, SIZE 120mm X 120mm, WATERPROOF MATERIAL ACRYL

310-002

DUMMY CAMERAS

Code

DUMMY2.5IRS
DECOY CAMERA WITH NO ACTIVE ELECTRONICS, BUILT IN NON FUNCTIONAL INFRARED LEDS. 2.5" DIAMETER

580-001

DUMMY2.5 &DUMMY 5
DECOY CAMERA WITH NO ACTIVE ELECTRONICS, 2.5" & 5" DIAMETER.

580-000
580-002

DUMMY DOME IRS
DECOY CAMERA WITH NO ACTIVE ELECTRONICS, 5" DIAMETER, FLASHING LED LIGHT.

580-004

DUMMYTUBE
DECOY CAMERA WITH NO ACTIVE ELECTRONICS ONLY FLASHING LED, 5" D X 230mm.

580-005

CAMERA HOUSING

ODH
OUTDOOR CAMERA HOUSING, FULLY CABLE MANAGED, FLIP LID, GLASS FACE, 350mm X 98mm, 1.2Kg, IP66, DIE CAST ALUMINIUM,

350-020

INTERCOM DEVICES

VIDEO INTERCOM KIT
DIY SYSTEM WITH PLUG &PLAY CONNECTIONS UP TO 4 OUTDOOR STATIONS AND 4 INDOOR STATIONS, INTERCOMMUNICATION & CALL TRANSFER BETWEEN INDOOR STATIONS, ELECTRONIC LOCK RELEASE, VANDAL RESISTANT DIE CAST ALUMINIUM CONSTRUCTION

970-006

VIDEO INTERCOM KIT
DIY SYSTEM WITH PLUG &PLAY CONNECTIONS UP TO 4 OUTDOOR STATIONS AND 4 INDOOR STATIONS, INTERCOMMUNICATION & CALL TRANSFER BETWEEN INDOOR STATIONS, ELECTRONIC LOCK RELEASE, VANDAL RESISTANT DIE CAST ALUMINIUM CONSTRUCTION

970-003

VIDEO INTERCOM RECESS KIT
RECESS KIT FOR VIDEO INTERCOM

970-004

VIDEO INTERCOM SERIES
RELIABILITY AT THE RIGHT PRICE

- DIY system with Plug & Play connections
- Hands free Operation
- Supports up to 4 Outdoor and Indoor stations
- Allows intercommunication between indoor stations
- Allows for call transfer between Indoor Stations
- Features Electronic lock door release
- Vandal resistant weather proof construction
- Kit contains all components for one Intercom Set
- Available in Black or Brushed Aluminium colour
- Additional Indoor/Outdoor stations can be added

V1	OUTDOOR STATION
CAMERA	SONY 1/3” CCD 420TVL SUPER HAD II
MINIMUM ILLUMINATION	0.01Lux
VIDEO OUTPUT	PAL 1Vp-p/75Ω
POWER	18VDC ±10% - 500mA
CONSTRUCTION	DIE CAST ALUMINIUM IP66

V22	INDOOR STATION
DISPLAY	7” TFT LCD
RESOLUTION	1440 x 234 pixels
VIDEO INPUT	PAL 1Vp-p/75Ω
POWER	18VDC ±10% - 500mA
CONSTRUCTION	BRUSHED ALUMINIUM IP44

PROVISION Security Products™ Pty Ltd
ABN:68 126 348 347, Unit 2, 173 - 181 Rooks Road, Vermont, 3133 Victoria, Australia
Phone : +61 3 9874 6785, Fax: +61 3 9873 8716, E-mail: sales@provisioncctv.com.au, www.provisioncctv.com.au

CONTROL DEVICES

Code

TRACKER BOX
440-003

MAKE ANY PTZ A MOTION TRACKING CAMERA, IDEAL FOR UNMANNED SITES, RS-485 PELCO D CONTROL, OSD, COMPATIBLE WITH MOST PTZ CAMERAS ON THE MARKET.

VIDEO CONVERTERS & AMPLIFIERS

VGA AV
240-001

VGA TO COMPOSITE VIDEO CONVERTER, SUPPORTS UP TO 1280 X 1024 INPUT RESOLUTION.

AV VGA
240-000

COMPOSITE VIDEO TO VGA CONVERTER, SUPPORTS UP TO 1280 X 1024 OUTPUT RESOLUTION.

VAMP1
601-000

VIDEO AMPLIFIER 1 IN 2 OUT, COMPOSITE VIDEO, MAINS POWERED.

VAMP4
601-001

VIDEO AMPLIFIER 1 IN 4 OUT, COMPOSITE VIDEO, MAINS POWERED.

VDIST12
370-001

VIDEO DISTRIBUTION UNIT, 1 IN 2 OUT, COMPOSITE VIDEO, MAINS POWERED.

VDIST14
370-002

VIDEO DISTRIBUTION UNIT, 1 IN 4 OUT, COMPOSITE VIDEO, MAINS POWERED.

VDIST48
370-003

VIDEO DISTRIBUTION UNIT, 4 IN 8 OUT, COMPOSITE VIDEO, MAINS POWERED.

VDIST816
370-004

VIDEO DISTRIBUTION UNIT, 8 IN 16 OUT, COMPOSITE VIDEO, MAINS POWERED.

SECURITY DETECTORS

Code

PAR410
500-002

PIR MOTION DETECTOR WITH PET IMMUNITY, DUAL PASSIVE INFERRED MICROPROCESSOR TECHNOLOGY, 12m RANGE, PET IMMUNE TO 33Kg, HIGH RFI REJECTION, WIDE SUPPLY RANGE 9~16VDC, 12mA, CONTACTS NO/NC, 100mA SINK CURRENT, SELECTABLE PULSE COUNT, TRUE TEMPERATURE COMPENSATION.

BIRDIE111
500-000

PIR MOTION DETECTOR WITH PET IMMUNITY, DUAL PASSIVE INFERRED & MICROWAVE MICROPROCESSOR TECHNOLOGY, 12m RANGE, PET IMMUNE TO 40Kg, HIGH RFI REJECTION, WIDE SUPPLY RANGE 9~16VDC, 12mA, CONTACTS NO/NC, 100mA SINK CURRENT, SELECTABLE PULSE COUNT, TRUE TEMPERATURE COMPENSATION.

DETPET NEW
500-004

DUAL TECHNOLOGY PIR MOTION DETECTOR WITH PET IMMUNITY TO 11M .

PIRBR
500-003

UNIVERSAL CEILING MOUNT PIR BRACKET.

HIGH ROLLER
500-001

SUPER HEAVY DUTY REED SWITCH FOR ROLLER DOORS. N.C. CONTACTS. REED SWITCH SIZE 105mm X 38mm X 11mm, STAINLESS STEEL CONDUIT 8mm DIAMETER X 400mm LONG, HIGH PERMEABILITY MAGNET IN ALLOY CASE.

CAM POWER

POWER SUPPLY RANGE

THE POWER THAT WONT LET YOU DOWN

New Model Also Available in 12V 5A

FEATURES

TWO MODELS AVAILABLE 12A - 16 PTC OUTPUTS, 5A - 8 PTC OUTPUT
WIDE INPUT RANGE - 110VAC OR 250VAC 50 / 60 HZ
OUTPUT VOLTAGE - 12VDC ~ ADJUSTABLE 11VDC~14VDC VIA TRIM POT
OUTPUT CURRENT - 5/10 AMPERES CONTINUOUS ~ 6/12 AMPERE PEAK 60SEC
OUTPUTS PROTECTION - 16 X 12VDC 1.5A PPTC
ELECTRONIC SELF RESETTING FUSES WITH OVER VOLTAGE
AND CURRENT LIMIT,
CONSTRUCTION - POWDER COATED STEEL
LOCKABLE FRONT DOOR , W 300mm X H 210mm X D 55mm

N26479

IMPORTANT NOTES

- All listed prices exclude GST.
- All equipment and services provided by PROVISION SECURITY PRODUCTS are subject to our printed "Terms and Conditions" which are seen below. Placement of an order with PROVISION SECURITY PRODUCTS constitutes acceptance of these Terms and Conditions.
- Payment for products is strictly due upon pick up or prior to delivery, prices listed are subject to delivery charges.
- PROVISION SECURITY PRODUCTS' credit approved customers are bound by standard trading terms of payment in 30 days from the end of the month of invoicing, i.e., payment is to reach PROVISION SECURITY PRODUCTS no later than the last working day of the month following the month of invoicing.
- The warranty period of supplied products from PROVISION SECURITY PRODUCTS is 12 months from the date of invoice. Equipment deemed faulty will be repaired or replaced at PROVISION SECURITY PRODUCTS' discretion free of charge but no responsibility is accepted for equipment subjected to misuse nor is responsibility accepted for consequential costs. A specific exception to our warranty provision relates to damage caused by lightning strike or consequent power surge to equipment. Such damage is considered to be result of an Act of God and repair or replacement charges will apply.
- The warranty period for equipment purchased from PROVISION SECURITY PRODUCTS will be that extended by the manufacturer of the equipment.
- Goods will be accepted for return and subsequent credit if returned in re-saleable condition within 14 days of purchase and may be subject to a 15% restocking fee. PROVISION SECURITY PRODUCTS reserves the right to refuse acceptance of goods returned after 14 days.
- Prices are subject to change without notice but all efforts will be made to optimise notice of price changes.
- PROVISION SECURITY PRODUCTS reserves the right at any time to make alterations to the specification, design or construction of goods at its own discretion provided that the goods shall remain of saleable quality and sufficient for the purposes nominated.

TERMS AND CONDITIONS

TERMS AND CONDITIONS

1. INTERPRETATION

This agreement shall be subject to the provisions of the Trade Practices Act 1974 and any statutory amendment or re-enactment thereof for the time being in force. Unless otherwise inconsistent with the context the word "person" shall include corporation, "Company" shall mean Provision Security Products and its agents, servants and employees, and any of its subsidiaries as defined in Section 7 of The Companies Act & Codes (if such subsidiary is named as the party making or accepting the order), "goods" shall include services, and "Purchaser" shall mean and include the person to whom any quotation is made and shall include any person offering to contract with the Company on these terms and conditions. Words importing the singular number shall be deemed to include the plural and vice versa. Words importing the male gender shall be deemed to include the female and neuter gender and vice versa.

2. OFFER AND ACCEPTANCE

Any quotation made by the Company is not an offer to sell or to provide services and no order given in pursuance of any quotation shall bind the company until accepted by it in writing or by the commencement of supply or the provision of services. Unless otherwise agreed in writing all orders are subject to acceptance by the Company within 30 days of Receipt by the Company of the Purchaser's order and these terms and conditions shall be deemed to be incorporated in any agreement between the Company and the Purchaser. Any terms and conditions contained in any order offer acceptance or other document of the Purchaser and all representations statements terms conditions and warranties (whether implied by statute or otherwise) not embodied herein are expressly excluded to the fullest extent permitted by law. Insofar as goods or services supplied by the Company are not of a kind ordinarily acquired for personal domestic or household use or consumption, and unless the Purchaser establishes that reliance on this provision would not be fair and reasonable, the Liability for breach of a condition or warranty implied into this contract by the Trade Practices Act 1974 (other than a condition implied by Section 69) Is limited:

(a) in the case of goods to any one of the following as determined by the Company:

(i) the replacement of the goods or the supply of equivalent goods; or

(ii) the repair of the goods; or

(iii) the payment of the cost of replacing the goods or of acquiring equivalent goods; or

(iv) the payment of the cost of having the goods repaired.

(b) in the case of services to any one of the following as determined by the Company:

(i) the supplying of the services again; or

(ii) the payment of the cost of having the services supplied again.

3. DELIVERY

(a) Any date quoted for delivery is an estimate only and unless a guarantee shall have been given by the Company in writing providing for liquidated damages for failure to deliver by the quoted date the Company shall not be liable to the Purchaser for any loss or damage howsoever arising even if arising out of the negligence of the Company for failure to deliver on or before the quoted date. The Purchaser shall accept and pay for goods if and when tendered notwithstanding any failure by the Company to deliver by the quoted date. Written advice to the Purchaser that goods are ready for delivery whether in whole or in part shall apply.

b) Subject to the provisions of Section 74 of the Trade Practices Act 1974 and to the warranties therein implied that services will be rendered with due care and skill and that any materials supplied in connection with those services will be reasonably fit for the purpose for which they are supplied, the Company shall not be liable to any Purchaser or other party for any direct or indirect or consequential loss or damage whatsoever by reason of any delay in delivery whether the same is due to the negligence of the Company or any other party; strike or any other industrial action be it of the Company or other party; or any other cause what so ever.

(c) The Company reserves the right to deliver by instalments. If delivery is made by installments the Purchaser shall not be entitled:

(i) to terminate or cancel the contract; or

(ii) to any loss or damage howsoever arising for failure by the Company to deliver any installments on or before the quoted date.

(d) It is agreed that the Company shall not be responsible for delay in delivery caused by, or in any way incidental to an act of God, war, fires, and breakages of machinery or strikes or arising out of any other unexpected or exceptional cause, or any cause beyond the Company's reasonable control.

(e) Any quotation containing a provision to supply goods "ex stock" is subject to fulfilment of prior orders at the date of receipt of the Purchaser's order.

4. CANCELLATION

Subject to Section 75A of the Trade Practices Act 1974 and without limiting the entitlement of a consumer to withdraw a contract as provided in that Section, any order may only be cancelled, varied or suspended with the written consent of the Company and in the event of such cancellation, variation or suspension, the Purchaser undertakes to reimburse and indemnify the Company for any costs expenses or charges incurred by the Company in preparation for and in the execution of an order.

5. QUANTITIES

No claim for shortage of delivery or shortfall or excess in capacity or performance of less than ten per cent of that ordered will be made by the purchaser and in any event shall not exceed the invoiced unit price of the goods in respect of which the claim is made. This Condition 5 does not apply when the Purchaser Is a Consumer for the purposes of the Trade Practices Act 1974.

6. DESCRIPTION AND SPECIFICATIONS

(a) Whilst every effort is made to ensure their accuracy, the descriptions illustrations and material contained in any catalogue price list brochures leaflets or other descriptive matter provided by or on behalf of the Company represent the general nature only of the items described therein and, save where the Company has accepted an order for goods specified as so described or illustrated, shall not form any part of any order or agreement or amount to any representation or warranty and, save as aforesaid, the use of such description or illustration shall not constitute a contract of sale by description. The Company reserves the right to modify the design of goods without notice.

(b) The Purchaser warrants that any goods manufactured constructed or supplied by the Company which are based in whole or in part upon designs drawings or specifications supplied to the Company by or on behalf of the Purchaser shall not infringe any letters patent of registered designs. The Purchaser shall indemnify and keep indemnified and hold harmless the Company against any action loss cost claim or damage that may be brought against or suffered by the Company for any breach of this warranty by the Purchaser.

(c) The Company does not warrant or guarantee and it shall not be a term of any agreement between the Company and the Purchaser that any goods manufactured constructed or supplied by the Company which are based upon any designs drawings or specifications supplied to the Company by or on behalf of the Purchaser will achieve any standard of performance or capacity whatsoever and the Purchaser acknowledges that it does not rely on the skill and judgement of the Company for the fitness for any purpose of any goods so manufactured constructed or supplied.

7. MINIMUM CHARGE

The Company reserves the right to increase the amount charged on any invoice up to the minimum charge as established by the company at the date of the invoice.

8. WAIVER

Failure by the Company to insist upon strict performance of any term or condition hereof shall not be deemed a waiver thereof or of any rights which the Company may have and shall not, and nor shall any express waiver, be deemed to be a waiver of any subsequent breach of any term or condition.

9. GUARANTEE AND WARRANTY

(a) Except when the Purchaser is a Consumer for the purposes of the Trade Practices Act 1974 and the conditions warranties and rights implied by that statute cannot be excluded, and subject always thereto, representations promises statements warranties and conditions [whether (subject as aforesaid) statutory express or implied] regarding any goods or services supplied by or on behalf of the Company are expressly excluded. The Company shall not be liable for any loss or damage whatsoever and howsoever arising whether direct indirect or consequential or in respect of any claim whenever and however made for any loss or damage deterioration deficiency or other fault or harm in the goods manufactured, work executed or services provided by or on behalf of or in any arrangement with the Company or occasioned to the Purchaser or any third or other party or to his or their property or interest and whether or not due to the negligence of the Company its servants or agents.

(b) As soon as any of the facts or matters which form any part of any claim or complaint whatsoever become known to the Purchaser, the Purchaser shall within fourteen days notify the Company in writing of the same.

(c) The Company's liability shall be limited in all circumstances to the repair or replacement or monetary compensation at the option of the Company of any goods manufactured by it which are returned only upon the written authority of the Company.

d) The Company shall not be liable in any circumstances for any:

(i) defects or damage caused in whole or in part by misuse, abuse, neglect, electrical or other overload, non suitable lubricant, improper installation repair or alteration (other than by the Company) or accident.

(ii) any transport installation removal labour or other costs.

(iii) goods not manufactured by it but the Company will endeavour to pass on to the Purchaser the benefit of any claim made by the Company and accepted by the Purchaser and the benefit of any claim made by the Company and accepted by the manufacturer of such goods under a warranty given by the manufacturer provided that nothing contained in this subparagraph shall limit the rights of the Purchaser to proceed against the Company pursuant to the Trade Practices Act 1974.

(iv) technical advice or assistance given or rendered by it to the Purchaser whether or not in connection with the manufacture construction or supply of goods for or to the Purchaser provided always that the Company has rendered such services with due care and skill and that any materials supplied in connection with those services are reasonably fit for the purpose for which they are supplied.

10. INSOLVENCY & DEFAULT

If: (a) the Purchaser makes default in any payment due hereunder;

(b) a resolution is passed or proposed or a petition is presented or an application filed for the winding up of the Purchaser;

(c) a receiver or receiver and manager is appointed of the property or any part of the property of the Purchaser;

(d) the Purchaser makes or proposes to make any arrangement with its Creditors;

(e) the Purchaser is placed under official management;

(f) execution is levied upon the assets of the Purchaser for an amount in excess of $1 ,OOO.OO and is not within seven days satisfied, then, and in any such event the Company may at its option withhold further deliveries or cancel the contract without prejudice to its rights hereunder PROVIDED HOWEVER that the Company may at any time and from time to time upon such terms as it may determine waive any of the rights under this Clause, but without prejudice to its rights thereafter to rely upon the happening thereafter of any of the events hereinbefore referred to or upon the continuation after any such waiver of any state of affairs the subject of such waiver.

11. TITLE LIEN

(a) Title to the goods to be delivered will not pass to the Purchaser until payment in full for the goods has been received by the Company. Until the date of final payment the Purchaser shall store the goods so that they are clearly identified as the property of the Company.

(b) In addition to any lien to which the Company may, by statute or otherwise, be entitled, the Company shall in the event of a Purchaser's insolvency, bankruptcy or winding up be entitled to a general lien on all property or goods belonging to the Purchaser in its possession (although such goods or some of them have been paid for) for the unpaid price of any other goods sold and delivered to the Purchaser under this or any other arrangement understanding or contract.

12. INSURANCE

In the event that the goods are covered by insurance taken out by the company, the company will only be liable to the extent of any indemnity provided.

13. RISK

Unless otherwise agreed in writing all goods shall be at the Purchaser's risk upon delivery to the Purchaser his carrier or agent.

14. PAYMENT

(a) Unless otherwise agreed in writing payment terms are net cash 30 days from the end of the month in which the goods are delivered to the Purchaser his carrier or agent.

(b) If the Company does not receive forwarding instructions sufficient to enable it to despatch the goods within 14 days of notification that they are ready, the Purchaser shall be deemed to have taken delivery of the goods and the terms of payment shall apply from such date.

15. PRICE

(a) Unless otherwise expressly agreed in writing the price of the goods shall be that price charged by the company at the date of delivery plus the amount which the Company is required to pay on account of any excise, or sales taxes or any other taxes or charges which may be established or levied by any governmental authority (domestic or foreign) upon the goods or any part thereof, or the manufacture, use, sale of or delivery thereof.

(b) Unless otherwise specified any prices quoted do not include transpiration costs. Goods shall be supplied ex works.

(c) The prices quoted are based on present day cost of labour and materials and will be subject to contract price adjustment at the option of the Company.